




## Disposition of XL3 (740)



# Camion XL3 (740)



## Specifications

### GENERAL

Category :	X Large
Maximum of Cameras :	32
Name of the Truck :	CR 740
Vehicle Type (Semi-trailer/ Coach) :	Semi-trailer
Length with Tractor :	16,50 meter
Length without Tractor :	13,60 meter
Height :	4,0 meter
Width :	2,55 meter
Width when expanded :	4,60 meter
Weight :	39 tons
Voltage :	380/400 Volt
Connector Type :	2 x Marcial D56 63 Amp 5 Pin

### VISION

Video Matrix SD :	Thomson VENUS 96 x 96
Video Matrix Analogue :	Thomson VENUS 128 x 144
Synchronisers :	THOMSON KAM HDD-FS - NUMERIC VIDEO
Monitors Vision :	6 x JVC 17" - DTV1710CG
HD Cameras :	Thomson LDK 8000 Worldcam
HD Formats :	1080i 50 Hz 59.24 Hz 1080P 23.97 & 24 & 29.98 Hz 720P 23.97 & 24 & 29.98 & 50 & 59.94 Hz
HD Highspeed Cameras :	On request Sony or Thomson
SD Cameras :	Thomson LDK 500
SD Highspeed Cameras :	Thomson LDK 23 mkII
HD / SD Lenses :	Canon 11x, 17x, 21x, 55x, 72x, 86x , 100x
SD Wireless Cameras :	Thomson Wireless Camera System LDK 500 / link
Video Matrix HD :	CONCERTO 96 x 96

### PRODUCTION

HD Vision Mixer :	Thomson DD X-Ten 4/ME
HD Inputs (direct and 2nd Layer) :	54
Aux Buses HD :	20
SD Vision Mixer :	Thomson DD35 4/ME
SD Inputs (direct and 2nd Layer) :	62
AUX Buses SD :	15
DVE / Channels SD :	Pinnacle Xtreme / 3ch Sony DME 7000
DVE / Channels HD :	DVX-HD / 2ch integrated in vision mixer
Miscellaneous options :	DME 3000 / ABEKAS DVEOUS 5 x Chromakey
Monitors front :	2 x JVC 19" (DTV1910CG) 2 x JVC 17" (DTV1710CG) 57 x Sony 9040
Monitors rear :	8 x Sony 9040 6 Sony 6041

### VTR

Maximum Positions :	8 VTR 10 Server
HD Type VTR / VDR :	Sony HDCAM Sony HDCAM / SR Panasonic D5 Panasonic DVCPro HD EVS XT2, 6 Channel (Super SloMo)
SD Type VTR / VDR :	Sony DVW A500P Sony Betacam SX/SP/XDCAM EVS LSM-XT, 6 Channel (Super SloMo) Tektronix PROFILE (2 or 4 Channels)
Monitors front :	8 x Sony 9040 - 12 x Sony 6041
Monitors rear :	8 x Sony 9040 - 12 x Sony 6041
Edit :	Sony BVE2000



# Camion XL3 (740)



## SOUND

<b>Audio Mixer Type :</b>	Studer Vista 6 Digital 50 faders
<b>Inputs/Outputs :</b>	72in x 68out AES 32in Mic/linex 32in Mic line (Via 2 F/O stageBoxes) 48 out analogue
<b>Metering :</b>	Metering DK audio MSD600C
<b>Effects Type :</b>	TCe DB8 - M3000 - D22 Lexicon 300L Dolby E Encoder DP571 Dolby E decoder DP572 Dolby E MultiTools DP570
<b>Monitors Audio :</b>	Main 5.1 : Genelec 1031/1029/7050B With Trinnov Optimizer Alt : Genelec 1029
<b>Record/Replay :</b>	HDd server Quickfire + Soundforge DAT, CD, MD
<b>Audio Matrix Type :</b>	Thomson Venus
<b>Wired Microphones :</b>	On request
<b>Wireless Microphones :</b>	On request
<b>Type Multitrack Recording :</b>	24 cx AES / 56cx Madi (Option)
<b>Communication Matrix :</b>	Telex ADAM 96 x 96
<b>Beltpack :</b>	3 RTS 2CH system 12 RTS BP325
<b>External Panels :</b>	Telex KP96 on request
<b>4 Wire Interface :</b>	38
<b>ISDN Codec Interfaces :</b>	2 x AETA Hifiscoop S0
<b>Wireless :</b>	4 Motorola GM950 Semi Duplex 1 Motorola GM950 Simplex
<b>Radio's TX/RX :</b>	18 x Motorola GP340 Walkie Talkie

**euro  
media  
group**  
UNITED BROADCAST FACILITIES

**CTV**  
OUTSIDE BROADCASTS

**euro media  
france**  
EMT  
SFP  
VCF

**nobeo**

**VIDEOHOUSE**  
TELEVISION FACILITIES

**34ERO2**  
TV

**UNITED**